



# [ FCS ]

Full-function Conference System



<http://www.bxb.com.tw>

- **Elegant & decent design in metallic black**
- **Easy and prompt installation**
- **Exceptional product quality**
- **Convenient plug-in system**

- **Advanced control software**
- **ALL IN ONE full function design**
- **Clear LCD display**
- **Superior sound quality**

**Conference system you can trust**

BXB FCS is the advanced digital conference system which is in the possession of comprehensive sequence moderation functions. The main control unit included the mixer and power amplifier interface provide necessary amplifier functions. The single cable transmission structure makes it possible for versatile conference occasions. If you are looking a solution that can dramatically upgrade the conference efficiency, BXB FCS is absolutely an ideal choice.

**Contains hardware & software**

BXB FCS possesses a powerful CPU which provides two options. One is only hardware setting up in advance then no more personnel needed. The other one is manual operation to control advanced control software for the easier manipulation. The main control unit also embedded a 4 x 20 digital LCD display that facilitate overall supervision and management of various conference activities.

**Complete range of equipment**

BXB FCS is a ALL-IN-ONE solution for the modern conference environment. It contains power control unit, microphones, voting system, graphical control software, simultaneous interpretation, connection test function, video-minutes and auto image tracing system which is integrated by active speech engagement. The FCS system is also equipped with various interfaces for maximum external connection possibilities in the future.

**Microphone system**

This FCS module can be used to manage the audio side of the system, with several different operating modes and configurations.

**Requests to talk**

Main control unit and Chairman's unit can activate this function themselves. Those delegates request to talk must press request button and will shows on monitor. Chairman and main control unit can accept request by order. Software can accept request by random.



Delegate's unit

Chairman's unit

**Connection test function**

After connection, when turn on the power of main control unit, if the LED light on microphone is flashing, this mean the connection is wrong. Installers can turn off and recheck wiring again.



Voting System



**Electronic voting**

BXB FCS system is capable of handling any type of voting procedure or special procedures concerning the management of resolutions, with print layout.



Main Control Unit

**Auto image tracing system**

Designed with the latest technology, BXB speed-dome-camera could work smoothly, faster, and more accurate compared with others. They can show active speaking delegates in conference room and allow both internal viewing and external distribution to broadcasting organizations.



Video System



PA System



Interpretation System

**Simultaneous interpretation**

BXB simultaneous interpretation system satisfies the demands of today's multi-lingual conference. Using this system, it is possible to organize simultaneous interpretation up to 8 languages. The signals are distributed by 9P wire.

Control Software



**Displaying and printing results**

Once all the votes has been cast, the data are automatically displayed on the screen and then printed: the date and time, percentage, a table of summarizing the results in terms of votes for and against, majority, quorum, indication of the preference, result of vote. The result of the voting can display in the conference hall and on graphical control software. In the event of secret vote, the rate displayed are the same as already described above, with the exclusion of the preferences expressed by the delegates.



**FCS 3050 / 6050**  
Main control unit



**D7722, D7312**  
Dome system



**FCS 3070 / 6070**  
Graphical control software



**Interpretation System**



**FCS 3011**  
Chairman's unit



**FCS 3012**  
Delegate's unit



**FCS 6011**  
Chairman's unit  
with Voting



**FCS 6012**  
Delegate's unit  
with Voting



**FCS 3034**  
Microphone unit for connection  
of external hand microphone



**PA-5120T**  
Extension unit with power  
supply



**FCS 3015**  
Chairman's unit  
with LCD



**FCS 3016**  
Delegate's unit  
with LCD



**FCS 6015**  
Chairman's unit  
with LCD and Voting



**FCS 6016**  
Delegate's unit  
with LCD and Voting



**Gooseneck microphone**  
43,48,56 and 70cm



**BXB ELECTRONICS CO, LTD.**

6F-1, NO.288-5, SHIN YA ROAD, CHIEN CHEN DISTRICT, KAOHSIUNG, TAIWAN, R.O.C.

E-mail: support@bxb.com.tw

http://www.bxb.com.tw

TEL:886-7-8152229 FAX:886-7-8151271

